

HWorks Mock Exam Results

Highfield Level 1 Award in the Principles of Fire Safety Awareness Mock Assessment (RQF)

#1. | A common cause of fires in the workplace is:
(Time Spent: 5s) (1 mark)

- ☒ electrical faults
- ☐ extreme weather conditions
- ☐ broken office furniture
- ☐ power outages



#2. | It is important for employers to provide fire safety training to employees to:
(Time Spent:) (1 mark)

- ☐ increase confusion and panic during fire emergencies
- ☐ create additional workloads for employees
- ☒ enhance employee awareness of fire hazards
- ☐ discourage reporting of potential fire risks



#3. | During a fire emergency employees must:
(Time Spent:) (1 mark)

- ☐ attempt to extinguish the fire without proper training
- ☐ ignore the fire and continue working
- ☐ wait for others to take the lead in evacuation
- ☒ follow evacuation procedures and leave the building



#4. | What recommended way ensures fire safety equipment is available for use in case of a fire emergency?
(Time Spent:) (1 mark)

- ☒ Conducting regular inspections and maintenance
- ☐ Keeping the equipment hidden from employees
- ☐ Ignoring the need for regular checks and replacements
- ☐ Locking the equipment in a secure storage room



#5. | What are the 3 components that make up the fire triangle?
(Time Spent:) (1 mark)

- ☐ Oxygen, hydrogen and carbon dioxide
- ☐ Heat, water and electricity
- ☒ Oxygen, heat and fuel
- ☐ Fuel, smoke and carbon monoxide



#6. | Which fire fighting equipment goes off when triggered by high temperatures?
(Time Spent:) (1 mark)

- ☐ Wet chemical extinguisher
- ☐ Water hoses
- ☐ Foam extinguisher
- ☐ Fixed sprinklers

✓

#7. | In a fire risk assessment, which action is used to reduce the likelihood of a fire?
(Time Spent:)

(1 mark)

- ☐ Ignoring potential hazards
- ☐ Conducting regular safety drills
- ☐ Increasing the number of flammable materials
- ☐ Ignoring the need for fire extinguishers

✓

#8. | A primary responsibility of a fire warden is to:
(Time Spent:)

(1 mark)

- ☐ only evacuate visitors
- ☐ ignore fire alarm activations
- ☐ direct employees towards blocked emergency exits
- ☐ conduct regular fire drills

✓

#9. | The purpose of raising the alarm during a fire emergency is to:
(Time Spent:)

(1 mark)

- ☐ alert others of the fire and start the evacuation process
- ☐ alert others of the fire and create panic among individuals
- ☐ encourage individuals to fight the fire independently
- ☐ prevent others from escaping the building

✓

#10. | A structural feature in a building which provides a means of escape is:
(Time Spent:)

(1 mark)

- ☐ fire extinguishers
- ☐ emergency lighting
- ☐ fire alarms
- ☐ safety signage

✓

#11. | It is important to regularly service equipment as it:
(Time Spent:)

(1 mark)

- ☐ helps to identify potential fire hazards
- ☐ increases the risk of equipment malfunction
- ☐ shortens the lifespan of the equipment
- ☐ allows for the build-up of dust

✓

#12. | Which type of fire extinguisher is appropriate to use on electrical fires?
(Time Spent:) (1 mark)

- ☐ Water extinguisher
- ☐ Foam extinguisher
- ☒ CO2 extinguisher
- ☐ Wet chemical extinguisher

#13. | Regarding fire safety in the workplace an employee has a responsibility to:
(Time Spent:) (1 mark)

- ☐ ignore fire alarm activations
- ☒ report potential fire hazards to supervisors
- ☐ block emergency exits with personal belongings
- ☐ mishandle fire extinguishers

#14. | Good housekeeping contributes to reducing the likelihood of a fire by:
(Time Spent:) (1 mark)

- ☐ encouraging the use of open flames
- ☐ creating a disorganised work environment
- ☒ removing potential fuel sources for fires
- ☐ promoting unsafe storage practices

#15. | What is a main cost associated with fires in the workplace?
(Time Spent:) (1 mark)

- ☐ Improved employee morale
- ☐ Increased health insurance
- ☐ Decreased insurance premiums
- ☒ Property damage and loss

Grade: Fail | Multi Choice Question Score: 0/15

Expected Time Limit: 30m
Time Spent: 5s